

This application is subject to PEP 1308. 2.40, 42-57 and renumbered U.S.C. § 119(a)-(d) or (f). Deceived. Deceived in Application No.	olication. If not included will be mailed in due course. THIS withdrawal from issue at the initiative
the cover sheet with the common the cover sheet with the common this appropriate communication. This application is subject to PEP 1308. 40, 42-57 and renumbered. U.S.C. § 119(a)-(d) or (f). ecceived. ecceived in Application No	Art Unit 2616 correspondence address blication. If not included will be mailed in due course. THIS o withdrawal from issue at the initiative
the cover sheet with the co MAINS) CLOSED in this app r appropriate communication This application is subject to PEP 1308. 40, 42-57 and renumbered U.S.C. § 119(a)-(d) or (f). eceived. eceived in Application No.	orrespondence address blication. If not included will be mailed in due course. THIS b withdrawal from issue at the initiative
MAINS) CLOSED in this appropriate communication This application is subject to PEP 1308. 40, 42-57 and renumbered U.S.C. § 119(a)-(d) or (f). eceived. eceived in Application No.	olication. If not included will be mailed in due course. THIS withdrawal from issue at the initiative
U.S.C. § 119(a)-(d) or (f). eceived. eceived in Application No.	<u>as 1-36</u> .
U.S.C. § 119(a)-(d) or (f). eceived. eceived in Application No.	<u>as 1-36</u> .
eceived. eceived in Application No.	
ommunication to file a reply of this application. Interpretation to file a reply of this application. Interpretation the attached EXAMINER's in(s) why the oath or declaration of the declaration that the declaration of th	national stage application from the complying with the requirements S AMENDMENT or NOTICE OF tion is deficient. 948) attached office action of the back) of the complying with the front (not the back) of the complying with the submitted. Note the
5. Notice of Informal Page	atent Application (PTO-152)
	, ,
Paper No./Mail Dat 7. 🛛 Examiner's Amendm	e
9.	CHAU NGUYEN ERVISORY PATENT EXAMINER ECHNOLOGY CENTER 2600
	ommunication to file a reply of this application. Dote the attached EXAMINER's on(s) why the oath or declaration of the Drawing Review (PTO-1) of the Drawing Review (PTO-1) of the Drawing to 37 CFR 1.121(c) of the DEPOSIT OF BIOLOGICAL MATERIAL IN THE DEPOSIT OF BIOLOGICAL BIOLOGICAL MATERIAL IN THE DEPOSIT OF BIOLOGICAL BIOLOGIC

Application/Control Number: 09/528,553 Page 2

Art Unit: 2616

EXAMINER'S AMENDMENT

1. The application has been amended as follows:

Claim 13 is canceled.

In claim 47, line 1, "." before "comprising" is deleted.

In claim 47, line 2, "." before "unit" is deleted.

In claim 53, line 6, "an R-P" before "connection" is deleted.

In claim 53, line 6, -- a Radio Network-Packet Network (R-P) -- is added before "connection".

In claim 55, line 3, "35." after "network." is deleted.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Stephen Herrera on 22 June 2006.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Soon D. Hyun whose telephone number is 571-272-3121. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doris H. To can be reached on 571-272-7629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/528,553 Page 3

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Soon Hyun 06/22/2006